

## SAFETY DATA SHEET

# SÜDWEST Schimmel-Fresser

Ref.	130000006345/
Rev. no.	1.3
Revision Date	18.08.2017
Print Date	04.09.2017

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name SÜDWEST Schimmel-Fresser

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Alkaline cleaner/ detergent  
Biocidal product

Uses advised against This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

SÜDWEST Lacke + Farben GmbH & Co.KG  
Iggelheimer Str. 13  
D - 67459 Böhl-Iggelheim  
Telephone: +49 6324/709-0  
Telefax: +49 6324/709-175  
www.suedwest.de

E-mail address of person responsible for the SDS  
European Union  
sdb@suedwest.de

#### 1.4 Emergency telephone number European Union

Phone: +44 (0)1235 239 670

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Skin corrosion, Sub- H314: Causes severe skin burns and eye damage.

# SÜDWEST Schimmel- Fresser

category 1B

Serious eye damage,  
Category 1

H318: Causes serious eye damage.

Acute aquatic toxicity,  
Category 1

H400: Very toxic to aquatic life.

Chronic aquatic toxicity,  
Category 2

H411: Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements

EUH031 Contact with acids liberates toxic gas.  
EUH071 Corrosive to the respiratory tract.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
**Prevention:**  
P260 Do not breathe mist.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with

# SÜDWEST Schimmel- Fresser

P310

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.

**Disposal:**

P501

Contents/container to be disposed of through approved disposal contractor or taken to municipal collection point.

Hazardous components which must be listed on the label:

caustic soda

**Additional Labelling:**

EUH206

Warning! Do not use together with other products. May release dangerous gases (chlorine).

**2.3 Other hazards**

The product is alkaline.

Avoid contact with skin and eyes.

Use biocides safely. Always read the label and product information before use.

Results of PBT and vPvB assessment

Not applicable

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures**

Chemical nature

Aqueous sodium hypochlorite solution with < 5% active chlorine

**Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%) w/w)
sodium hypochlorite, solution	7681-52-9 231-668-3 01-2119488154-34-XXXX	Met. Corr.1; H290 Skin Corr.1B; H314 Aquatic Acute1; H400 Aquatic Chronic1; H410 STOT SE3; H335 Note B	≥ 2,5 - < 5
sodium carbonate	497-19-8 207-838-8	Eye Irrit.2; H319	≥ 2,5 - < 5

# SÜDWEST Schimmel- Fresser

	01-2119485498-19-XXXX		
caustic soda	1310-73-2 215-185-5 01-2119457892-27-XXXX	Skin Corr.1A; H314 Met. Corr.1; H290	≥ 0,5 - < 1

For explanation of abbreviations see section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
Inhalation	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Do NOT use solvents or thinners. Take off contaminated clothing and shoes immediately. If symptoms persist, call a physician.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In case of eye contact, flush with warm water. Physician should be contacted immediately. Call a physician immediately. Protect unharmed eye. Continue rinsing eyes during transport to hospital.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Obtain medical attention. Keep at rest.

### 4.2 Most important symptoms and effects, both acute and delayed

# SÜDWEST Schimmel- Fresser

Symptoms corrosive effects

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.  
No information available.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable extinguishing media CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Unsuitable extinguishing media High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Exposure to decomposition products may be a hazard to health.

Fire may cause evolution of:

Carbon monoxide

Carbon dioxide (CO<sub>2</sub>)

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen chloride (HCl)

Chlorine

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Complete suit protecting against chemicals

Additional advice

Suppress (knock down) gases/vapours/mists with a water spray jet.  
Use water spray to cool unopened containers.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not get in eyes, on skin, or on clothing.

Use personal protective equipment.

Ensure adequate ventilation.

Do not breathe fumes / aerosol

### 6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Sweep up and shovel.

Clean with detergents. Avoid solvents.

Dispose of contaminated material as waste according to

# SÜDWEST Schimmel- Fresser

item 13.

Clean contaminated surface thoroughly.

## 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Comply with the statutory regulations on health and safety at work.  
Handle and open container with care.  
When diluting, always stir the product into standing water, not water to product.  
Do not re-use empty containers.

#### Hygiene measures

Wash hands before breaks and at the end of workday.  
When using do not eat, drink or smoke.  
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage areas and containers

Prevent unauthorized access.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in original container.  
Provide floor trough without outlet.  
Unsuitable materials for containers  
Aluminium  
Zinc  
Suitable material  
Polyethylene  
Observe label precautions.  
Keep in a dry place.  
Protect from frost, heat and sunlight.

#### Advice on common storage

Keep away from food, drink and animal feedingstuffs.  
Oxidizing agents  
Keep away from metals.  
Keep away from combustible materials.  
Do not store near acids.

# SÜDWEST Schimmel- Fresser

Storage temperature 2 - 8 °C

**7.3 Specific end use(s)** For further information, see also Technical Data Sheet for the product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Contains no substances with occupational exposure limit values. The lists that were valid during the creation were used as basis.

### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure good ventilation; if possible, use / install internal extractor equipment.

#### Individual protection measures, such as personal protective equipment

a) Eye/face protection Safety glasses with side-shields conforming to EN166

b) Skin protection  
Hand protection

Break through time: 480 min  
Minimum thickness: 0,4 mm  
Gloves made of nitrile rubber, e.g. KCL 730 Camatril®  
Velours (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-  
87-300, kcl-uk@kcl.de), or equivalent.  
Skin that comes into contact with the product should be  
treated with protective cream. After such contact, the  
product concerned should under no circumstances be used.

The selected protective gloves have to satisfy the  
specifications of EU Directive 89/686/EEC and the standard  
EN 374 derived from it.

The choice of an appropriate glove does not only depend on  
its material but also on other quality features and is different  
from one producer to the other.

Body Protection

Impervious clothing  
Alkali-resistant protective clothing  
Remove and wash contaminated clothing before re-use.  
Skin should be washed after contact.  
Preventive skin protection

c) Respiratory protection

Breathing protection equipment required in inadequately  
ventilated places and during spraying.

# SÜDWEST Schimmel- Fresser

Breathing apparatus needed only when aerosol or mist is formed.

Respiratory filter for brief exposure:

Combination filter B-P2

Respiratory protection complying with EN 14387.

## Environmental exposure controls

General advice

The product should not be allowed to enter drains, water courses or the soil.

If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	liquid
Colour	yellow
Odour	chlorous
Odour Threshold	No data available
pH	ca. 12,5 - 13, 20 °C, DIN 19268
Melting point/freezing point	No data available
Initial boiling point and boiling range	102 °C
Flash point	Not applicable
Evaporation rate	not applicable
Flammability (solid, gas)	not applicable
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapour pressure	No data available
Relative density	No data available
Density	ca. 1,122 g/cm <sup>3</sup> , 20 °C
Solubility(ies)(Water)	completely miscible
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	not auto-flammable



# SÜDWEST Schimmel- Fresser

Decomposition temperature	>200 °C
Viscosity, dynamic	No data available
Explosive properties	Not explosive
Oxidizing properties	Not applicable

## 9.2 Other information

Flow time	No data available
-----------	-------------------

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions., Decomposes on heating.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	Corrosive in contact with metals Heating can release hazardous gases.
---------------------	--

### 10.4 Conditions to avoid

Conditions to avoid	Direct sources of heat. Strong sunlight for prolonged periods. At higher temperatures, release of chlorine possible
---------------------	---

### 10.5 Incompatible materials

Materials to avoid	Acids Metals Reducing agents Oxidizing agents Combustible material
--------------------	--

### 10.6 Hazardous decomposition products

Hazardous decomposition products	No decomposition if stored and applied as directed.
Decomposition temperature	>200 °C

# SÜDWEST Schimmel- Fresser

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Product

Acute oral toxicity	Based on available data, the classification criteria are not met.
Acute inhalation toxicity	Based on available data, the classification criteria are not met.
Acute dermal toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity in vitro	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity Effects on fertility	Based on available data, the classification criteria are not met.
Developmental Toxicity	Based on available data, the classification criteria are not met.

# SÜDWEST Schimmel- Fresser

STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Human experience	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.
Further information	The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

**Components:****sodium hypochlorite, solution :**

Skin corrosion/irritation	Causes severe skin burns and eye damage.
---------------------------	--

STOT - single exposure	May cause respiratory irritation.
------------------------	-----------------------------------

**sodium carbonate :**

Serious eye damage/eye irritation	Causes serious eye irritation.
-----------------------------------	--------------------------------

**caustic soda :**

Skin corrosion/irritation	Causes severe skin burns and eye damage.
---------------------------	--

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Product:**

Toxicity to fish	No data available
------------------	-------------------

# SÜDWEST Schimmel- Fresser

## Components:

### **sodium hypochlorite, solution :**

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 0,08 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): 0,04 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) 10

M-Factor (Chronic aquatic toxicity) 1

## **12.2 Persistence and degradability**

### Product:

Biodegradability rapidly biodegradable, The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## **12.3 Bioaccumulative potential**

### Product:

Bioaccumulation No data available

## Components:

### **sodium hypochlorite, solution :**

Bioaccumulation Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water log Pow: -3,42 (20 °C)

## **12.4 Mobility in soil**

### Product:

Mobility No data available

## **12.5 Results of PBT and vPvB assessment**

### Product:

# SÜDWEST Schimmel- Fresser

## Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

### Product:

#### Additional ecological information

The product is alkaline. Even small quantities emptied into the soil can affect the quality of drinking water. Do not use in the direct vicinity of bodies of water. Do not allow the agent or any product residues to enter into waters, the soil or the sewage system. Very toxic to aquatic life with long lasting effects. Eco-toxic effects, in particular aquatic toxicity, are only possible when larger quantities are released into water resulting in a change of the pH-value.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

The user is responsible for proper coding and marking of any waste.  
Partial and residual quantities can be reused.  
Fluid remains constitute hazardous waste and should not be poured into the sewage system. They should be taken to a local waste disposal site.

#### Contaminated packaging

Packaging that is not properly emptied must be disposed of as the unused product.  
Empty packaging should be recycled through disposal systems.

#### Waste key for the unused product

07 06 01\*: aqueous washing liquids and mother liquors  
: (\*) hazardous waste in terms of the European directive 91/689/EEC

## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number

#### ADR

1719

# SÜDWEST Schimmel- Fresser

IMDG 1719

IATA 1719

## 14.2 UN proper shipping name

**ADR** CAUSTIC ALKALI LIQUID, N.O.S.  
(sodium hydroxide, sodium hypochlorite solution)

**IMDG** CAUSTIC ALKALI LIQUID, N.O.S.  
(SODIUM HYDROXIDE, SODIUM HYPOCHLORITE SOLUTION)

**IATA** Caustic alkali liquid, n.o.s.  
(SODIUM HYDROXIDE, SODIUM HYPOCHLORITE SOLUTION)

## 14.3 Transport hazard class(es)

**ADR** 8

**IMDG** 8

**IATA** 8

## 14.4 Packing group

### ADR

Packing group II

Classification Code C5

Hazard Identification  
Number 80

Labels 8

Tunnel restriction code (E)

### IMDG

Packaging group II

Labels 8

EmS number F-A, S-B

# SÜDWEST Schimmel- Fresser

**IATA**

Packaging group II

Labels 8

**14.5 Environmental hazards****ADR**

Environmentally hazardous yes

**IMDG**

Marine pollutant yes

**14.6 Special precautions for user**

Remarks This information is not available.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Remarks Not applicable

**Additional advice**

||ADR ADR: Up to 1 l per inner package, transport as limited quantity in accordance with ADR 3.4.

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**VOC  
Directive 2010/75/EU

Not applicable

VOC  
Directive 2004/42/EC

# SÜDWEST Schimmel- Fresser

Regulation (EC)  
No.648/2004 on  
detergents

does not fall under Directive 2004/42/EC  
less than 5 % Chlorine-based bleaching agents  
Non-ionic surfactants  
Phosphonates

Further notes

Do not use in the direct vicinity of bodies of water. Do not allow the agent or any product residues to enter into waters, the soil or the sewage system.  
The effectiveness of the biocide is dependent on correct storage and observation of the use-by date.

Type of product:  
Disinfectants and algacides not intended for direct application to humans or animals

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.  
Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.

## 15.2 Chemical safety assessment

This information is not available.

### SECTION 16: OTHER INFORMATION

**Changes from the previous version are indicated by markings in the left-hand margin.**

**The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.**

#### Full text of H-Statements

H290 : May be corrosive to metals.  
H314 : Causes severe skin burns and eye damage.  
H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute : Acute aquatic toxicity  
Aquatic Chronic : Chronic aquatic toxicity  
Eye Irrit. : Eye irritation



# SÜDWEST Schimmel- Fresser

Met. Corr. : Corrosive to metals  
Skin Corr. : Skin corrosion  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Further information

Other information It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing  
MSDS  
REG\_EU / EN

sdb@suedwest.de

# **SÜDWEST Schimmel- Fresser**