

SÜDWEST Fungan

Ref. 13000006089/

Rev. no. 1.1

Revised on 30.05.2016 Printing date 27.03.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SÜDWEST Fungan

1.2 Relevant identified uses of the substance or mixture and uses advised against

Special priming Biocidal product

Uses advised against This information is not available.

1.3 Details of the supplier of the safety data sheet

SÜDWEST Lacke + Farben GmbH & Co.KG lagelheimer Str. 13

D - 67459 Böhl-Iggelheim Telephone: (+49)6324/709-0

Telefax: (+49)6324/709-175 www.suedwest.de

E-mail address of person responsible for the SDS

sdb@suedwest.de

1.4 Emergency telephone number

European Union

European Union

Phone: +44 (0)1235 239 670

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, H318: Causes serious eye damage.

Category 1

Acute aquatic toxicity,

Category 1

H400: Very toxic to aquatic life.

Chronic aquatic toxicity,

Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word Danger

Hazard statements Causes skin irritation. H315

> H318 Causes serious eye damage. Very toxic to aquatic life with long H410

> > lasting effects.

Precautionary P102 Keep out of reach of children.

Prevention:

statements

P280 Wear protective gloves/ eye protection/

face protection.

P273 Avoid release to the environment.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

P302 + P352 IF ON SKIN: Wash with plenty of soap

and water.

Disposal:

P501 Contents/container to be disposed of

through approved disposal contractor or

taken to municipal collection point.

Hazardous components which must be listed on the label:

Quaternary ammonium compounds, benzyl-C12-16-

alkyldimethyl, chlorides

2.3 Other hazards

Use biocides safely. Always read the label and product information before use. Results of PBT and vPvB assessment

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature Water dilutable primer

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (% w/w)
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	68424-85-1 270-325-2	Met. Corr.1; H290 Acute Tox.4; H302 Skin Corr.1B; H314 Aquatic Acute1; H400 Aquatic Chronic1; H410	≥ 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice In the case of accident or if you feel unwell, seek medical

advice immediately (show the label where possible). Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical

advice.

Inhalation Remove to fresh air.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial

respiration.

If symptoms persist, call a physician.

Skin contact Take off all contaminated clothing immediately.

Wash skin thoroughly with soap and water or use

recognized skin cleanser.

Do NOT use solvents or thinners. If skin irritation persists, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Seek medical advice.

Ingestion Clean mouth with water and drink afterwards plenty of

SÜDWEST Fungan

water

Do NOT induce vomiting. Obtain medical attention.

Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.

No information available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing

media

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Fire may cause evolution of: Carbon monoxide

Carbon dioxide (CO2) Nitrogen oxides (NOx)

Exposure to decomposition products may be a hazard to

health.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Additional advice Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal

precautions, protective

equipment and

emergency procedures 6.2 Environmental

precautions

Ensure adequate ventilation.

Do not breathe vapour.

The product should not be allowed to enter drains, water

courses or the soil.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and

Contain spillage, and then collect with non-combustible

SÜDWEST Fungan

material for containment and cleaning up

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Clean with detergents. Avoid solvents.

Dispose of contaminated material as waste according to

item 13.

Clean contaminated surface thoroughly.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Do not breathe vapours or spray mist.

Avoid contact with skin and eyes.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture

is being used.

Prevent unauthorized access.

Provide sufficient air exchange and/or exhaust in work

rooms.

Comply with the statutory regulations on health and safety at

work.

Hygiene measures Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing and gloves,

including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and

containers

Containers which are opened must be carefully resealed

and kept upright to prevent leakage.

Store in original container. Observe label precautions.

Protect from frost, heat and sunlight.

Advice on common

storage

Keep away from oxidizing agents and strongly acid or

alkaline materials.

7.3 Specific end use(s) For further information, see also Technical Data Sheet for

the product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values. The lists that were valid during the creation were used as basis.

8.2 Exposure controls

Appropriate engineering controls

Ensure good ventilation; if possible, use / install internal extractor equipment.

Individual protection measures, such as personal protective equipment

a) Eye/face protection Wear protective goggles for protection against splashed liquid.

Safety glasses with side-shields conforming to EN166

b) Skin protection Hand protection

Recommended preventive skin protection

Before starting work, apply water-resistant skincare

preparations to exposed skin areas.

Protective gloves should be worn in case of skin contact

during preparation and application.

Break through time: 480 min Minimum thickness: 0,11 mm

Gloves made of nitrile rubber, e.g. KCL 740 Dermatril® (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300,

kcl-uk@kcl.de), or equivalent.

Cotton undergloves are recommendable when wearing

protective gloves!

Skin that comes into contact with the product should be treated with protective cream. After such contact, the product concerned should under no circumstances be used.

The selected protective gloves have to satisfy the

specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different

from one producer to the other.

Body Protection Work clothes

Skin should be washed after contact. Do NOT use solvents or thinners.

c) Respiratory protection No personal respiratory protective equipment normally

required.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Employees involved in spraying work or in the immediate vicinity of such work should use a P2 particle filter against

spray fog.

Respiratory protection complying with EN 143.

Environmental exposure controls

General advice The product should not be allowed to enter drains, water

courses or the soil.

If the product contaminates rivers and lakes or drains

inform respective authorities.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance liquid

Colour Yellowish

Odour Weak, characteristic Odour Threshold No data available Hq ca. 6,5 - 7,5, 20 °C

Melting point/freezing

point

< 0 °C

Initial boiling point and

boiling range

No data available

Flash point > 100 °C

Evaporation rate not applicable Flammability (solid, gas) not applicable Lower explosion limit No data available No data available Upper explosion limit

Vapour pressure No data available Vapour density No data available ca. 1 g/cm³, 20 °C Density Solubility(ies)(Water) completely miscible

Partition coefficient: n-

not determined

octanol/water

Auto-ignition temperature not auto-flammable No data available Ignition temperature

SÜDWEST Fungan

Viscosity, dynamic ca. 12,5 mPa.s (20 °C)

Explosive properties Not explosive
Oxidizing properties Not applicable

9.2 Other information

Flow time No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions This information is not available.

10.4 Conditions to avoid

Conditions to avoid Stable under recommended storage and handling

conditions (see section 7).

10.5 Incompatible materials

Materials to avoid Strong acids and strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition

products

No decomposition if stored and applied as directed.

Decomposition

tomporatura

No data available

temperature

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product

Method: Calculation method

Acute inhalation toxicity Based on available data, the classification criteria are

not met.

Acute dermal toxicity Based on available data, the classification criteria are

not met.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin

sensitisation

Based on available data, the classification criteria are

not met.

Germ cell mutagenicity

Genotoxicity in vitro Based on available data, the classification criteria are

not met.

Carcinogenicity Based on available data, the classification criteria are

not met.

Reproductive toxicity

Effects on fertility Based on available data, the classification criteria are

not met.

Developmental Toxicity Based on available data, the classification criteria are

not met.

STOT - single exposure Based on available data, the classification criteria are

not met.

STOT - repeated exposure Based on available data, the classification criteria are

not met.

Aspiration hazard Based on available data, the classification criteria are

not met.

SÜDWEST Fungan

Further information The product itself has not been tested. The mixture is

classified in accordance with Annex I to EC Directive

1272/2008. (See sections 2 and 3 for details).

Components:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides :

Acute oral toxicity LD50 Rat: 344 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product:

Toxicity to fish No data available

Components:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0,085 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and

EC50 (Daphnia (water flea)): 0,016 mg/l

other aquatic invertebrates

Exposure time: 48 h

Toxicity to algae EC10 (Selenastrum capricornutum (green algae)): 0,025

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic

toxicity)

10

Toxicity to daphnia and NOEC: 0,025 mg/l

SÜDWEST Fungan

other aquatic invertebrates

(Chronic toxicity)

Exposure time: 21 d

Species: Daphnia (water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1

12.2 Persistence and degradability

Product:

Biodegradability No data available

Components:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Biodegradability Result: rapidly degradable

12.3 Bioaccumulative potential

Product:

Bioaccumulation No data available

12.4 Mobility in soil

Product:

Mobility No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components

considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative

(vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological

information

Even small quantities emptied into the soil can affect the quality of drinking water.\'20 Do not use in the direct vicinity of bodies of water. Do not allow the agent or any product residues to enter into waters, the soil or the sewage system. Very toxic to aquatic life with long

lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product The user is responsible for proper coding and marking of

any waste.

SÜDWEST Fungan

Dispose of as special waste in compliance with local and

national regulations.

systems.

Waste key for the unused product

08 01 11*: Paint and varnish waste containing organic

solvents or other dangerous substances

: (*) hazardous waste in terms of the European directive

91/689/EEC

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR 3082

IMDG 3082

IATA 3082

14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

(Benzalkonium chloride)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

(Benzalkonium chloride)

IATA Environmentally hazardous substance, liquid, n.o.s.

(Benzalkonium chloride)

14.3 Transport hazard class(es)

ADR 9

IMDG 9

IATA 9

14.4 Packing group

ADR

SÜDWEST Fungan

Packing group III

Classification Code M6

Hazard Identification 90

Number

Labels 9

Tunnel restriction code (E)

IMDG

Packaging group III

Labels 9

EmS number F-A, S-F

IATA

Packaging group III

Labels 9

14.5 Environmental hazards

ADR

Environmentally hazardous yes

IMDG

Marine pollutant yes

14.6 Special precautions for user

Remarks This information is not available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SÜDWEST Fungan

Directive 2010/75/EU

Not applicable

Directive 2004/42/EC

does not fall under Directive 2004/42/EC

Further notes Type of product:

Disinfectants and algaecides not intended for direct

application to humans or animals

Before use please consult technical data sheet and safety

data sheet.

The effectiveness of the biocide is dependent on correct

storage and observation of the use-by date.

Do not use in the direct vicinity of bodies of water. Do not allow the agent or any product residues to enter into waters,

the soil or the sewage system.

Other regulations Comply with the statutory regulations on health and safety at

work.

15.2 Chemical Safety Assessment

This information is not available.

SECTION 16: OTHER INFORMATION

Changes from the previous version are indicated by markings in the left-hand margin.

The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

Full text of H-Statements

H290 : May be corrosive to metals.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity

SÜDWEST Fungan

Aquatic Chronic : Chronic aquatic toxicity Met. Corr. : Corrosive to metals Skin Corr. : Skin corrosion

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP -Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS -Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States): UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

It is possible in the interim period that you may find Other information

> different markings on packaging compared to the Material Safety Data Sheet until stocks have been used

up. We ask for your understanding in this matter.

Department issuing

MSDS REG EU/EN sdb@suedwest.de